



CONAN

Declaration of Conformity

For plastic materials coming into contact with food

The manufacturer:

SPC B.V.
PO Box 15700
1001 NE Amsterdam
The Netherlands

Declares that the product described hereafter:

Item

Visitor coat with push buttons PP
Conan 10-042
50x1 piece - White - M
10042-100-08

is in conformity with the following provisions:

Regulation (EU) No. 10/2011 and the Regulation (EC) No. 1935/2004.

When used according to specifications, the overall migration and the specific migration do not exceed the legal limits. The examination was carried out in compliance with Regulation (EC) No. 1935/2004, Regulation (EU) No. 10/2011 as amended by Regulation (EU) 2020/1245, with reference to Annex III and Annex V for the selection of test conditions, and according to EN 1186-1:2002 and EN 1186-3:2022 test methods for overall migration in evaporable simulants.

Overall migration

Simulant used	Limit	Unit(s)	Reporting limit	Overall migration	Conditions
3% acetic acid (W/V)	10	mg/dm ²	3.0	8.5	70 °C, 2 hours
95% ethanol	10	mg/dm ²	3.0	Not detected	60 °C, 2 hours
Isooctane	10	mg/dm ²	3.0	Not detected	40 °C, 30 minutes

The traceability according to the regulation (EC) No. 1935/2004 is ensured by the batch number.

Signed for and on behalf of SPC B.V.,

Amsterdam, 1-9-2025

N. van Orsouw
Authorized Representative

Version	Date	Revision date
1.0	1-9-2025	1-9-2025





CONAN

Declaration of Conformity

For plastic materials coming into contact with food

The manufacturer:

SPC B.V.
PO Box 15700
1001 NE Amsterdam
The Netherlands

Declares that the product described hereafter:

Item

Visitor coat with push buttons PP
Conan 10-042
50x1 piece - White - L
10042-100-09

is in conformity with the following provisions:

Regulation (EU) No. 10/2011 and the Regulation (EC) No. 1935/2004.

When used according to specifications, the overall migration and the specific migration do not exceed the legal limits. The examination was carried out in compliance with Regulation (EC) No. 1935/2004, Regulation (EU) No. 10/2011 as amended by Regulation (EU) 2020/1245, with reference to Annex III and Annex V for the selection of test conditions, and according to EN 1186-1:2002 and EN 1186-3:2022 test methods for overall migration in evaporable simulants.

Overall migration

Simulant used	Limit	Unit(s)	Reporting limit	Overall migration	Conditions
3% acetic acid (W/V)	10	mg/dm ²	3.0	8.5	70 °C, 2 hours
95% ethanol	10	mg/dm ²	3.0	Not detected	60 °C, 2 hours
Isooctane	10	mg/dm ²	3.0	Not detected	40 °C, 30 minutes

The traceability according to the regulation (EC) No. 1935/2004 is ensured by the batch number.

Signed for and on behalf of SPC B.V.,

Amsterdam, 1-9-2025

N. van Orsouw
Authorized Representative

Version	Date	Revision date
1.0	1-9-2025	1-9-2025





CONAN

Declaration of Conformity

For plastic materials coming into contact with food

The manufacturer:

SPC B.V.
PO Box 15700
1001 NE Amsterdam
The Netherlands

Declares that the product described hereafter:

Item

Visitor coat with push buttons PP
Conan 10-042
50x1 piece - White - XL
10042-100-10

is in conformity with the following provisions:

Regulation (EU) No. 10/2011 and the Regulation (EC) No. 1935/2004.

When used according to specifications, the overall migration and the specific migration do not exceed the legal limits. The examination was carried out in compliance with Regulation (EC) No. 1935/2004, Regulation (EU) No. 10/2011 as amended by Regulation (EU) 2020/1245, with reference to Annex III and Annex V for the selection of test conditions, and according to EN 1186-1:2002 and EN 1186-3:2022 test methods for overall migration in evaporable simulants.

Overall migration

Simulant used	Limit	Unit(s)	Reporting limit	Overall migration	Conditions
3% acetic acid (W/V)	10	mg/dm ²	3.0	8.5	70 °C, 2 hours
95% ethanol	10	mg/dm ²	3.0	Not detected	60 °C, 2 hours
Isooctane	10	mg/dm ²	3.0	Not detected	40 °C, 30 minutes

The traceability according to the regulation (EC) No. 1935/2004 is ensured by the batch number.

Signed for and on behalf of SPC B.V.,

Amsterdam, 1-9-2025

N. van Orsouw
Authorized Representative

Version	Date	Revision date
1.0	1-9-2025	1-9-2025





CONAN

Declaration of Conformity

For plastic materials coming into contact with food

The manufacturer:

SPC B.V.
PO Box 15700
1001 NE Amsterdam
The Netherlands

Declares that the product described hereafter:

Item

Visitor coat with push buttons PP
Conan 10-042
50x1 piece - White - 2XL
10042-100-11

is in conformity with the following provisions:

Regulation (EU) No. 10/2011 and the Regulation (EC) No. 1935/2004.

When used according to specifications, the overall migration and the specific migration do not exceed the legal limits. The examination was carried out in compliance with Regulation (EC) No. 1935/2004, Regulation (EU) No. 10/2011 as amended by Regulation (EU) 2020/1245, with reference to Annex III and Annex V for the selection of test conditions, and according to EN 1186-1:2002 and EN 1186-3:2022 test methods for overall migration in evaporable simulants.

Overall migration

Simulant used	Limit	Unit(s)	Reporting limit	Overall migration	Conditions
3% acetic acid (W/V)	10	mg/dm ²	3.0	8.5	70 °C, 2 hours
95% ethanol	10	mg/dm ²	3.0	Not detected	60 °C, 2 hours
Isooctane	10	mg/dm ²	3.0	Not detected	40 °C, 30 minutes

The traceability according to the regulation (EC) No. 1935/2004 is ensured by the batch number.

Signed for and on behalf of SPC B.V.,

Amsterdam, 1-9-2025

N. van Orsouw
Authorized Representative

Version	Date	Revision date
1.0	1-9-2025	1-9-2025





CONAN

Declaration of Conformity

For plastic materials coming into contact with food

The manufacturer:

SPC B.V.
PO Box 15700
1001 NE Amsterdam
The Netherlands

Declares that the product described hereafter:

Item

Visitor coat with push buttons PP
Conan 10-042
50x1 piece - White - 3XL
10042-100-12

is in conformity with the following provisions:

Regulation (EU) No. 10/2011 and the Regulation (EC) No. 1935/2004.

When used according to specifications, the overall migration and the specific migration do not exceed the legal limits. The examination was carried out in compliance with Regulation (EC) No. 1935/2004, Regulation (EU) No. 10/2011 as amended by Regulation (EU) 2020/1245, with reference to Annex III and Annex V for the selection of test conditions, and according to EN 1186-1:2002 and EN 1186-3:2022 test methods for overall migration in evaporable simulants.

Overall migration

Simulant used	Limit	Unit(s)	Reporting limit	Overall migration	Conditions
3% acetic acid (W/V)	10	mg/dm ²	3.0	8.5	70 °C, 2 hours
95% ethanol	10	mg/dm ²	3.0	Not detected	60 °C, 2 hours
Isooctane	10	mg/dm ²	3.0	Not detected	40 °C, 30 minutes

The traceability according to the regulation (EC) No. 1935/2004 is ensured by the batch number.

Signed for and on behalf of SPC B.V.,

Amsterdam, 1-9-2025

N. van Orsouw
Authorized Representative

Version	Date	Revision date
1.0	1-9-2025	1-9-2025





CONAN

Declaration of Conformity

For plastic materials coming into contact with food

The manufacturer:

SPC B.V.
PO Box 15700
1001 NE Amsterdam
The Netherlands

Declares that the product described hereafter:

Item

Visitor coat with push buttons PP
Conan 10-042
50x1 piece - Dark blue - S
10042-210-07

is in conformity with the following provisions:

Regulation (EU) No. 10/2011 and the Regulation (EC) No. 1935/2004.

When used according to specifications, the overall migration and the specific migration do not exceed the legal limits. The examination was carried out in compliance with Regulation (EC) No. 1935/2004, Regulation (EU) No. 10/2011 as amended by Regulation (EU) 2020/1245, with reference to Annex III and Annex V for the selection of test conditions, and according to EN 1186-1:2002 and EN 1186-3:2022 test methods for overall migration in evaporable simulants.

Overall migration

Simulant used	Limit	Unit(s)	Reporting limit	Overall migration	Conditions
3% acetic acid (W/V)	10	mg/dm ²	3.0	8.5	70 °C, 2 hours
95% ethanol	10	mg/dm ²	3.0	Not detected	60 °C, 2 hours
Isooctane	10	mg/dm ²	3.0	Not detected	40 °C, 30 minutes

The traceability according to the regulation (EC) No. 1935/2004 is ensured by the batch number.

Signed for and on behalf of SPC B.V.,

Amsterdam, 1-9-2025

N. van Orsouw
Authorized Representative

Version	Date	Revision date
1.0	1-9-2025	1-9-2025





CONAN

Declaration of Conformity

For plastic materials coming into contact with food

The manufacturer:

SPC B.V.
PO Box 15700
1001 NE Amsterdam
The Netherlands

Declares that the product described hereafter:

Item

Visitor coat with push buttons PP
Conan 10-042
50x1 piece - Dark blue - M
10042-210-08

is in conformity with the following provisions:

Regulation (EU) No. 10/2011 and the Regulation (EC) No. 1935/2004.

When used according to specifications, the overall migration and the specific migration do not exceed the legal limits. The examination was carried out in compliance with Regulation (EC) No. 1935/2004, Regulation (EU) No. 10/2011 as amended by Regulation (EU) 2020/1245, with reference to Annex III and Annex V for the selection of test conditions, and according to EN 1186-1:2002 and EN 1186-3:2022 test methods for overall migration in evaporable simulants.

Overall migration

Simulant used	Limit	Unit(s)	Reporting limit	Overall migration	Conditions
3% acetic acid (W/V)	10	mg/dm ²	3.0	8.5	70 °C, 2 hours
95% ethanol	10	mg/dm ²	3.0	Not detected	60 °C, 2 hours
Isooctane	10	mg/dm ²	3.0	Not detected	40 °C, 30 minutes

The traceability according to the regulation (EC) No. 1935/2004 is ensured by the batch number.

Signed for and on behalf of SPC B.V.,

Amsterdam, 1-9-2025

N. van Orsouw
Authorized Representative

Version	Date	Revision date
1.0	1-9-2025	1-9-2025





CONAN

Declaration of Conformity

For plastic materials coming into contact with food

The manufacturer:

SPC B.V.
PO Box 15700
1001 NE Amsterdam
The Netherlands

Declares that the product described hereafter:

Item

Visitor coat with push buttons PP
Conan 10-042
50x1 piece - Dark blue - L
10042-210-09

is in conformity with the following provisions:

Regulation (EU) No. 10/2011 and the Regulation (EC) No. 1935/2004.

When used according to specifications, the overall migration and the specific migration do not exceed the legal limits. The examination was carried out in compliance with Regulation (EC) No. 1935/2004, Regulation (EU) No. 10/2011 as amended by Regulation (EU) 2020/1245, with reference to Annex III and Annex V for the selection of test conditions, and according to EN 1186-1:2002 and EN 1186-3:2022 test methods for overall migration in evaporable simulants.

Overall migration

Simulant used	Limit	Unit(s)	Reporting limit	Overall migration	Conditions
3% acetic acid (W/V)	10	mg/dm ²	3.0	8.5	70 °C, 2 hours
95% ethanol	10	mg/dm ²	3.0	Not detected	60 °C, 2 hours
Isooctane	10	mg/dm ²	3.0	Not detected	40 °C, 30 minutes

The traceability according to the regulation (EC) No. 1935/2004 is ensured by the batch number.

Signed for and on behalf of SPC B.V.,

Amsterdam, 1-9-2025

N. van Orsouw
Authorized Representative

Version	Date	Revision date
1.0	1-9-2025	1-9-2025





CONAN

Declaration of Conformity

For plastic materials coming into contact with food

The manufacturer:

SPC B.V.
PO Box 15700
1001 NE Amsterdam
The Netherlands

Declares that the product described hereafter:

Item

Visitor coat with push buttons PP
Conan 10-042
50x1 piece - Dark blue - XL
10042-210-10

is in conformity with the following provisions:

Regulation (EU) No. 10/2011 and the Regulation (EC) No. 1935/2004.

When used according to specifications, the overall migration and the specific migration do not exceed the legal limits. The examination was carried out in compliance with Regulation (EC) No. 1935/2004, Regulation (EU) No. 10/2011 as amended by Regulation (EU) 2020/1245, with reference to Annex III and Annex V for the selection of test conditions, and according to EN 1186-1:2002 and EN 1186-3:2022 test methods for overall migration in evaporable simulants.

Overall migration

Simulant used	Limit	Unit(s)	Reporting limit	Overall migration	Conditions
3% acetic acid (W/V)	10	mg/dm ²	3.0	8.5	70 °C, 2 hours
95% ethanol	10	mg/dm ²	3.0	Not detected	60 °C, 2 hours
Isooctane	10	mg/dm ²	3.0	Not detected	40 °C, 30 minutes

The traceability according to the regulation (EC) No. 1935/2004 is ensured by the batch number.

Signed for and on behalf of SPC B.V.,

Amsterdam, 1-9-2025

N. van Orsouw
Authorized Representative

Version	Date	Revision date
1.0	1-9-2025	1-9-2025





CONAN

Declaration of Conformity

For plastic materials coming into contact with food

The manufacturer:

SPC B.V.
PO Box 15700
1001 NE Amsterdam
The Netherlands

Declares that the product described hereafter:

Item

Visitor coat with push buttons PP
Conan 10-042
50x1 piece - Dark blue - 2XL
10042-210-11

is in conformity with the following provisions:

Regulation (EU) No. 10/2011 and the Regulation (EC) No. 1935/2004.

When used according to specifications, the overall migration and the specific migration do not exceed the legal limits. The examination was carried out in compliance with Regulation (EC) No. 1935/2004, Regulation (EU) No. 10/2011 as amended by Regulation (EU) 2020/1245, with reference to Annex III and Annex V for the selection of test conditions, and according to EN 1186-1:2002 and EN 1186-3:2022 test methods for overall migration in evaporable simulants.

Overall migration

Simulant used	Limit	Unit(s)	Reporting limit	Overall migration	Conditions
3% acetic acid (W/V)	10	mg/dm ²	3.0	8.5	70 °C, 2 hours
95% ethanol	10	mg/dm ²	3.0	Not detected	60 °C, 2 hours
Isooctane	10	mg/dm ²	3.0	Not detected	40 °C, 30 minutes

The traceability according to the regulation (EC) No. 1935/2004 is ensured by the batch number.

Signed for and on behalf of SPC B.V.,

Amsterdam, 1-9-2025

N. van Orsouw
Authorized Representative

Version	Date	Revision date
1.0	1-9-2025	1-9-2025





CONAN

Declaration of Conformity

For plastic materials coming into contact with food

The manufacturer:

SPC B.V.
PO Box 15700
1001 NE Amsterdam
The Netherlands

Declares that the product described hereafter:

Item

Visitor coat with push buttons PP
Conan 10-042
50x1 piece - Dark blue - 3XL
10042-210-12

is in conformity with the following provisions:

Regulation (EU) No. 10/2011 and the Regulation (EC) No. 1935/2004.

When used according to specifications, the overall migration and the specific migration do not exceed the legal limits. The examination was carried out in compliance with Regulation (EC) No. 1935/2004, Regulation (EU) No. 10/2011 as amended by Regulation (EU) 2020/1245, with reference to Annex III and Annex V for the selection of test conditions, and according to EN 1186-1:2002 and EN 1186-3:2022 test methods for overall migration in evaporable simulants.

Overall migration

Simulant used	Limit	Unit(s)	Reporting limit	Overall migration	Conditions
3% acetic acid (W/V)	10	mg/dm ²	3.0	8.5	70 °C, 2 hours
95% ethanol	10	mg/dm ²	3.0	Not detected	60 °C, 2 hours
Isooctane	10	mg/dm ²	3.0	Not detected	40 °C, 30 minutes

The traceability according to the regulation (EC) No. 1935/2004 is ensured by the batch number.

Signed for and on behalf of SPC B.V.,

Amsterdam, 1-9-2025

N. van Orsouw
Authorized Representative

Version	Date	Revision date
1.0	1-9-2025	1-9-2025

