Wall-/Floor Washing Brush, 470 mm, Hard, Blue







This large washing Brush is great for cleaning all types of floor surfaces, including epoxy, tiles and cement. Can be used with any Vikan handle.

Technical Data

Bristle stiffness Hard Visible bristle length 44 mm Connection Threaded Material Polypropylene Polyester (PBT) Stainless Steel (AISI 304L.) Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS intentionally added No Box Quantity 8 Pcs. Quantity Per Pallet (80 x 120 x approx.180 cm) 384 Pcs. Quantity Per Layer (Pallet) 48 Pcs. Box Length/Depth 510 mm Box Width 300 mm Box Width 300 mm Box Width 40 mm Product Length/Depth 470 mm Product Height 150 mm Not Wight 9.8 kg Plastic Packaging (Recycling Symbol "4") 0.0087 kg Cardboard Packaging (Recycling Symbol "4")	Item Number	70623
Connection Threaded Material Polypropylene Polyester (PBT) Stainless Steel (AISI 304L) Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes FFAS intentionally added No Box Quantity 8 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 384 Pcs. Quantity Per Layer (Pallet) 48 Pcs. Box Length/Depth 510 mm Box Width 300 mm Box Height 210 mm Product Length/Depth 470 mm Product Width 80 mm Product Height 115 mm Net Weight 0.89 kg Plastic Packaging (Recycling Symbol "4") 0.0047 kg Cardboard Packaging (Recycling symbol "20" PAP) 0.0353 kg Gross Weight 0.99 kg Cubic metre 0.004324 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dod contact) 80 °C Max usage temperature (food contact) 80 °C<	Bristle stiffness	Hard
Material Polypropylene Polyester (PBT) Stainless Steel (AISI 304L) Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS intentionally added No Box Quantity 8 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 384 Pcs. Quantity Per Layer (Pallet) 48 Pcs. Box Length/Depth 510 mm Box Width 300 mm Box Height 210 mm Product Length/Depth 470 mm Product Length/Depth 115 mm Net Weight 0.89 kg Plastic Packaging (Recycling Symbol "4") 0.0087 kg Cardboard Packaging (Recycling symbol "20" PAP) 0.0353 kg Gross Weight 0.93 kg Cubic metre 0.004324 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 39 °C Max usage temperature (food contact) 100 °C Min. usage temperature Max. drying temperature Max. drying temperature	Visible bristle length	44 mm
Complies with (EC) 1935/2004 on food contact materials¹ Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21¹ Yes Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Lalal and Kosher FAS intentionally added No Box Quantity 8 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 8 Avec Complies with Lalal and Kosher Complies with Halal and Kosher FAS intentionally added No Box Quantity 8 Pcs. Quantity Per Layer (Pallet) 8 Pcs. Box Length/Depth 510 mm Box Width 300 mm Box Height 210 mm Product Length/Depth 470 mm Product Length/Depth 470 mm Product Height 115 mm Net Weight 0.89 kg Plastic Packaging (Recycling Symbol "4") 0.0087 kg Cardboard Packaging (Recycling symbol "20" PAP) 0.0353 kg Cubic metre 0.004324 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 80 °C Max usage temperature (no food contact) Min. usage temperature? 100 °C Min. usage temperature? 100 °C Max. drying temperature 100 °C Max. drying temperature	Connection	Threaded
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS intentionally added No Box Quantity 8 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 8 Cuantity Per Layer (Pallet) 8 Pcs. Box Length/Depth 5 10 mm Box Width 3 00 mm Box Height 2 10 mm Product Length/Depth 4 70 mm Product Width 8 0 mm Product Height 1 115 mm Net Weight 0 .88 kg Plastic Packaging (Recycling Symbol "4") 0 .0087 kg Cardboard Packaging (Recycling symbol "20" PAP) 0 .0353 kg Cubic metre 0 .004324 M3 Recommended sterilisation temperature (Autoclave) Max usage temperature (Dishwasher) 8 0 °C Max usage temperature Max. drying temperature 1 0 °C Max. drying temperature Max. drying temperature 1 0 °C Ma	Material	(PBT) Stainless Steel
Manufacturing PracticeComplies with FDA Regulation CFR 21¹YesComplies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS intentionally addedNoBox Quantity8 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)384 Pcs.Quantity Per Layer (Pallet)48 Pcs.Box Length/Depth510 mmBox Width300 mmBox Height210 mmProduct Length/Depth470 mmProduct Width80 mmProduct Width80 mmProduct Height115 mmNet Weight0.89 kgPlastic Packaging (Recycling Symbol "4")0.0087 kgCardboard Packaging (Recycling symbol "20" PAP)0.0353 kgTotal Tare Weight0.93 kgCubic metre0.004324 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature-20 °CMax. drying temperature100 °C	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS intentionally addedNoBox Quantity8 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)384 Pcs.Quantity Per Layer (Pallet)48 Pcs.Box Length/Depth510 mmBox Width300 mmBox Height210 mmProduct Length/Depth470 mmProduct Width80 mmProduct Height115 mmNet Weight0.89 kgPlastic Packaging (Recycling Symbol "4")0.0087 kgCardboard Packaging (Recycling symbol "20" PAP)0.0353 kgTotal Tare Weight0.93 kgCubic metre0.004324 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °CMin. usage temperature100 °CMin. usage temperature100 °CMax. drying temperature100 °C		Yes
Complies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS intentionally addedNoBox Quantity8 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)384 Pcs.Quantity Per Layer (Pallet)48 Pcs.Box Length/Depth510 mmBox Width300 mmBox Height210 mmProduct Length/Depth470 mmProduct Width80 mmProduct Width80 mmProduct Height115 mmNet Weight0.89 kgPlastic Packaging (Recycling Symbol "4")0.0087 kgCardboard Packaging (Recycling symbol "20" PAP)0.0353 kgTotal Tare Weight0.044 kgGross Weight0.04324 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °CMin. usage temperature*-20 °CMin. usage temperature100 °CMax. drying temperature100 °C	Complies with FDA Regulation CFR 21 ¹	Yes
Complies with California Proposition 65YesComplies with Halal and KosherYesPFAS intentionally addedNoBox Quantity8 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)384 Pcs.Quantity Per Layer (Pallet)48 Pcs.Box Length/Depth510 mmBox Width300 mmBox Height210 mmProduct Length/Depth470 mmProduct Width80 mmProduct Height115 mmNet Weight0.89 kgPlastic Packaging (Recycling Symbol "4")0.0087 kgCardboard Packaging (Recycling symbol "20" PAP)0.0353 kgTotal Tare Weight0.044 kgGross Weight0.04324 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature*-20 °CMax. drying temperature100 °C	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and KosherYesPFAS intentionally addedNoBox Quantity8 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)384 Pcs.Quantity Per Layer (Pallet)48 Pcs.Box Length/Depth510 mmBox Width300 mmBox Height210 mmProduct Length/Depth470 mmProduct Width80 mmProduct Height115 mmNet Weight0.89 kgPlastic Packaging (Recycling Symbol "4")0.0087 kgCardboard Packaging (Recycling symbol "20" PAP)0.0353 kgTotal Tare Weight0.044 kgGross Weight0.93 kgCubic metre0.004324 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMin. usage temperature100 °CMax. drying temperature100 °C	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS intentionally added 8 Box Quantity 8 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 384 Pcs Quantity Per Layer (Pallet) 48 Pcs. Box Length/Depth 510 mm Box Width 300 mm Box Height 210 mm Product Length/Depth 470 mm Product Length/Depth 80 mm Product Width 80 mm Product Width 80 mm Product Height 115 mm Net Weight 0.89 kg Plastic Packaging (Recycling Symbol "4") 0.0087 kg Cardboard Packaging (Recycling symbol "20" PAP) 0.0353 kg Total Tare Weight 0.93 kg Cubic metre 0.004324 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature	Complies with California Proposition 65	Yes
Box Quantity8 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)384 Pcs.Quantity Per Layer (Pallet)48 Pcs.Box Length/Depth510 mmBox Width300 mmBox Height210 mmProduct Length/Depth470 mmProduct Width80 mmProduct Height115 mmNet Weight0.89 kgPlastic Packaging (Recycling Symbol "4")0.0087 kgCardboard Packaging (Recycling symbol "20" PAP)0.0353 kgTotal Tare Weight0.044 kgGross Weight0.04324 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °CMin. usage temperature100 °CMin. usage temperature100 °CMax. drying temperature100 °C	Complies with Halal and Kosher	Yes
Quantity per Pallet (80 x 120 x approx.180 cm)384 PcsQuantity Per Layer (Pallet)48 Pcs.Box Length/Depth510 mmBox Width300 mmBox Height210 mmProduct Length/Depth470 mmProduct Width80 mmProduct Height115 mmNet Weight0.89 kgPlastic Packaging (Recycling Symbol "4")0.0087 kgCardboard Packaging (Recycling symbol "20" PAP)0.0353 kgTotal Tare Weight0.044 kgGross Weight0.04324 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMin. usage temperature100 °C	PFAS intentionally added	No
Quantity Per Layer (Pallet)48 Pcs.Box Length/Depth510 mmBox Width300 mmBox Height210 mmProduct Length/Depth470 mmProduct Width80 mmProduct Height115 mmNet Weight0.89 kgPlastic Packaging (Recycling Symbol "4")0.0087 kgCardboard Packaging (Recycling symbol "20" PAP)0.0353 kgTotal Tare Weight0.044 kgGross Weight0.93 kgCubic metre0.004324 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Box Quantity	8 Pcs.
Box Length/Depth510 mmBox Width300 mmBox Height210 mmProduct Length/Depth470 mmProduct Width80 mmProduct Height115 mmNet Weight0.89 kgPlastic Packaging (Recycling Symbol "4")0.0087 kgCardboard Packaging (Recycling symbol "20" PAP)0.0353 kgTotal Tare Weight0.044 kgGross Weight0.93 kgCubic metre0.004324 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Quantity per Pallet (80 x 120 x approx.180 cm)	384 Pcs
Box Width300 mmBox Height210 mmProduct Length/Depth470 mmProduct Width80 mmProduct Height115 mmNet Weight0.89 kgPlastic Packaging (Recycling Symbol "4")0.0087 kgCardboard Packaging (Recycling symbol "20" PAP)0.0353 kgTotal Tare Weight0.044 kgGross Weight0.93 kgCubic metre0.004324 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperatures-20 °CMax. drying temperature100 °C	Quantity Per Layer (Pallet)	48 Pcs.
Box Height210 mmProduct Length/Depth470 mmProduct Width80 mmProduct Height115 mmNet Weight0.89 kgPlastic Packaging (Recycling Symbol "4")0.0087 kgCardboard Packaging (Recycling symbol "20" PAP)0.0353 kgTotal Tare Weight0.044 kgGross Weight0.93 kgCubic metre0.004324 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Box Length/Depth	510 mm
Product Length/Depth470 mmProduct Width80 mmProduct Height115 mmNet Weight0.89 kgPlastic Packaging (Recycling Symbol "4")0.0087 kgCardboard Packaging (Recycling symbol "20" PAP)0.0353 kgTotal Tare Weight0.044 kgGross Weight0.93 kgCubic metre0.004324 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Box Width	300 mm
Product Width80 mmProduct Height115 mmNet Weight0.89 kgPlastic Packaging (Recycling Symbol "4")0.0087 kgCardboard Packaging (Recycling symbol "20" PAP)0.0353 kgTotal Tare Weight0.044 kgGross Weight0.93 kgCubic metre0.004324 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Box Height	210 mm
Product Height115 mmNet Weight0.89 kgPlastic Packaging (Recycling Symbol "4")0.0087 kgCardboard Packaging (Recycling symbol "20" PAP)0.0353 kgTotal Tare Weight0.044 kgGross Weight0.93 kgCubic metre0.004324 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Product Length/Depth	470 mm
Net Weight0.89 kgPlastic Packaging (Recycling Symbol "4")0.0087 kgCardboard Packaging (Recycling symbol "20" PAP)0.0353 kgTotal Tare Weight0.044 kgGross Weight0.93 kgCubic metre0.004324 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Product Width	80 mm
Plastic Packaging (Recycling Symbol "4") Cardboard Packaging (Recycling symbol "20" PAP) Total Tare Weight 0.044 kg Gross Weight 0.093 kg Cubic metre 0.004324 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature 100 °C Max. drying temperature	Product Height	115 mm
Cardboard Packaging (Recycling symbol "20" PAP)0.0353 kgTotal Tare Weight0.044 kgGross Weight0.93 kgCubic metre0.004324 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Net Weight	0.89 kg
Total Tare Weight0.044 kgGross Weight0.93 kgCubic metre0.004324 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature-20 °CMax. drying temperature100 °C	Plastic Packaging (Recycling Symbol "4")	0.0087 kg
Gross Weight0.93 kgCubic metre0.004324 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °C	Cardboard Packaging (Recycling symbol "20" PAP)	0.0353 kg
Cubic metre0.004324 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Total Tare Weight	0.044 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Gross Weight	0.93 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Cubic metre	0.004324 M3
Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature ³ -20 °C Max. drying temperature 100 °C	Max usage temperature (food contact)	80 °C
Max. drying temperature 100 °C	Max usage temperature (non food contact)	100 °C
	Min. usage temperature ³	-20 °C
Min. pH-value in usage concentration 2 pH	Max. drying temperature	100 °C
	Min. pH-value in usage concentration	2 pH

Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number	5705020706233
GTIN-14 Number (Box quantity)	15705020706230
Customs Tariff Number	96039099
UNSPSC Code	47131605
Country of Origin ISO Code	DK
Country of Origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.